

# Step Therapy Criteria

## ATYPICALS

---

### Products Affected

#### Step 2:

- ABILIFY MAINTENA PREFILLED SYRINGE 300 MG INTRAMUSCULAR
- ABILIFY MAINTENA PREFILLED SYRINGE 400 MG INTRAMUSCULAR
- ABILIFY MAINTENA SUSPENSION RECONSTITUTED ER 300 MG INTRAMUSCULAR
- ABILIFY MAINTENA SUSPENSION RECONSTITUTED ER 400 MG INTRAMUSCULAR
- ABILIFY MYCITE TABLET 10 MG ORAL
- ABILIFY MYCITE TABLET 15 MG ORAL
- ABILIFY MYCITE TABLET 2 MG ORAL
- ABILIFY MYCITE TABLET 20 MG ORAL
- ABILIFY MYCITE TABLET 30 MG ORAL
- ABILIFY MYCITE TABLET 5 MG ORAL
- CAPLYTA CAPSULE 42 MG ORAL
- FANAPT TABLET 1 MG ORAL
- FANAPT TABLET 10 MG ORAL
- FANAPT TABLET 12 MG ORAL
- FANAPT TABLET 2 MG ORAL
- FANAPT TABLET 4 MG ORAL
- FANAPT TABLET 6 MG ORAL
- FANAPT TABLET 8 MG ORAL
- FANAPT TITRATION PACK TABLET 1 & 2 & 4 & 6 MG ORAL
- INVEGA SUSTENNA SUSPENSION PREFILLED SYRINGE 117 MG/0.75ML INTRAMUSCULAR
- INVEGA SUSTENNA SUSPENSION PREFILLED SYRINGE 156 MG/ML INTRAMUSCULAR
- INVEGA SUSTENNA SUSPENSION PREFILLED SYRINGE 234 MG/1.5ML INTRAMUSCULAR
- INVEGA SUSTENNA SUSPENSION PREFILLED SYRINGE 39 MG/0.25ML INTRAMUSCULAR
- INVEGA SUSTENNA SUSPENSION PREFILLED SYRINGE 78 MG/0.5ML INTRAMUSCULAR
- INVEGA TRINZA SUSPENSION PREFILLED SYRINGE 273 MG/0.875ML INTRAMUSCULAR
- INVEGA TRINZA SUSPENSION PREFILLED SYRINGE 410 MG/1.315ML INTRAMUSCULAR
- INVEGA TRINZA SUSPENSION PREFILLED SYRINGE 546 MG/1.75ML INTRAMUSCULAR
- INVEGA TRINZA SUSPENSION PREFILLED SYRINGE 819 MG/2.625ML INTRAMUSCULAR
- LATUDA TABLET 120 MG ORAL
- LATUDA TABLET 20 MG ORAL
- LATUDA TABLET 40 MG ORAL
- LATUDA TABLET 60 MG ORAL
- LATUDA TABLET 80 MG ORAL
- NUPLAZID CAPSULE 34 MG ORAL
- NUPLAZID TABLET 10 MG ORAL
- PERSERIS PREFILLED SYRINGE 120 MG SUBCUTANEOUS
- PERSERIS PREFILLED SYRINGE 90 MG SUBCUTANEOUS
- REXULTI TABLET 0.25 MG ORAL
- REXULTI TABLET 0.5 MG ORAL
- REXULTI TABLET 1 MG ORAL
- REXULTI TABLET 2 MG ORAL
- REXULTI TABLET 3 MG ORAL
- REXULTI TABLET 4 MG ORAL

- RISPERDAL CONSTA SUSPENSION RECONSTITUTED ER 12.5 MG INTRAMUSCULAR
- RISPERDAL CONSTA SUSPENSION RECONSTITUTED ER 25 MG INTRAMUSCULAR
- RISPERDAL CONSTA SUSPENSION RECONSTITUTED ER 37.5 MG INTRAMUSCULAR
- RISPERDAL CONSTA SUSPENSION RECONSTITUTED ER 50 MG INTRAMUSCULAR
- SAPHRIS TABLET SUBLINGUAL 10 MG SUBLINGUAL
- SAPHRIS TABLET SUBLINGUAL 2.5 MG SUBLINGUAL
- SAPHRIS TABLET SUBLINGUAL 5 MG SUBLINGUAL
- SECUADO PATCH 24 HOUR 3.8 MG/24HR TRANSDERMAL
- SECUADO PATCH 24 HOUR 5.7 MG/24HR TRANSDERMAL
- SECUADO PATCH 24 HOUR 7.6 MG/24HR TRANSDERMAL
- VERSACLOZ SUSPENSION 50 MG/ML ORAL
- VRAYLAR CAPSULE 1.5 MG ORAL
- VRAYLAR CAPSULE 3 MG ORAL
- VRAYLAR CAPSULE 4.5 MG ORAL
- VRAYLAR CAPSULE 6 MG ORAL
- VRAYLAR CAPSULE THERAPY PACK 1.5 & 3 MG ORAL
- ZYPREXA RELPREVV SUSPENSION RECONSTITUTED 210 MG INTRAMUSCULAR

**Details**

<b>Criteria</b>	Claim will pay automatically for any brand formulary atypical antipsychotic if enrollee has a paid claim for at least a 1 day supply of any generic formulary atypical antipsychotic in the past 365 days. Otherwise, any brand formulary atypical antipsychotic requires a step therapy exception request indicating: (1) history of inadequate treatment response with any generic formulary atypical antipsychotic, (2) history of adverse event with any generic formulary atypical antipsychotic, or (3) any generic formulary atypical antipsychotic is contraindicated.
-----------------	--

# CONDYLOX

---

## Products Affected

### Step 2:

- CONDYLOX GEL 0.5 % EXTERNAL

## Details

---

<b>Criteria</b>	Claim will pay automatically for Condylox if enrollee has a paid claim for at least a 1 day supply of podofilox in the past 365 days. Otherwise, Condylox requires a step therapy exception request indicating: (1) history of inadequate treatment response with podofilox OR (2) history of adverse event with podofilox OR (3) podofilox is contraindicated.
-----------------	---

---

# DHE

---

## Products Affected

### Step 2:

- *dihydroergotamine mesylate solution 4 mg/ml nasal*

## Details

---

<b>Criteria</b>	Claim will pay automatically for DHE if enrollee has a paid claim for at least a 1 day supply of any generic formulary serotonin (5-HT) 1b/1d receptor agonist (i.e. triptan) in the past 365 days. Otherwise, DHE requires a step therapy exception request indicating: (1) history of inadequate treatment response with any generic formulary triptan, OR (2) history of adverse event with any generic formulary triptan, OR (3) any generic formulary triptan is contraindicated.
-----------------	--

---

# DIFICID

---

## Products Affected

### Step 2:

- DIFICID TABLET 200 MG ORAL

## Details

---

<b>Criteria</b>	Claim will pay automatically for Dificid if enrollee has a paid claim for at least a 1 day supply of vancomycin or Firvanq in the past 120 days. Otherwise, Dificid requires a step therapy exception request indicating: (1) history of inadequate treatment response with vancomycin or Firvanq, OR (2) history of adverse event with vancomycin or Firvanq, OR (3) vancomycin or Firvanq is contraindicated.
-----------------	---

---

# NEUPRO

---

## Products Affected

### Step 2:

- NEUPRO PATCH 24 HOUR 1 MG/24HR TRANSDERMAL
- NEUPRO PATCH 24 HOUR 2 MG/24HR TRANSDERMAL
- NEUPRO PATCH 24 HOUR 3 MG/24HR TRANSDERMAL
- NEUPRO PATCH 24 HOUR 4 MG/24HR TRANSDERMAL
- NEUPRO PATCH 24 HOUR 6 MG/24HR TRANSDERMAL
- NEUPRO PATCH 24 HOUR 8 MG/24HR TRANSDERMAL

## Details

---

<b>Criteria</b>	Claim will pay automatically for Neupro if enrollee has a paid claim for at least a 1 day supply of pramipexole or ropinirole in the past 365 days. Otherwise, Neupro requires a step therapy exception request indicating: (1) history of inadequate treatment response with pramipexole or ropinirole, OR (2) history of adverse event with pramipexole or ropinirole, OR (3) pramipexole or ropinirole is contraindicated.
-----------------	---

---

# RYTARY

---

## Products Affected

### Step 2:

- RYTARY CAPSULE EXTENDED RELEASE 23.75-95 MG ORAL
- RYTARY CAPSULE EXTENDED RELEASE 36.25-145 MG ORAL
- RYTARY CAPSULE EXTENDED RELEASE 48.75-195 MG ORAL
- RYTARY CAPSULE EXTENDED RELEASE 61.25-245 MG ORAL

## Details

---

Criteria	Claim will pay automatically for Rytary if enrollee has a paid claim for at least a 1 day supply of any generic carbidopa, carbidopa/levodopa, or carbidopa/levodopa/entacapone in the past 365 days. Otherwise, Rytary requires a step therapy exception request indicating: (1) history of inadequate treatment response with any generic carbidopa, carbidopa/levodopa, or carbidopa/levodopa/entacapone OR (2) history of adverse event with any generic carbidopa, carbidopa/levodopa, or carbidopa/levodopa/entacapone, OR (3) any generic carbidopa, carbidopa/levodopa, or carbidopa/levodopa/entacapone is contraindicated.
----------	--

# TOPICAL ANTI-INFLAMMATORY

---

## Products Affected

### Step 2:

- EUCRISA OINTMENT 2 % EXTERNAL
- *pimecrolimus cream 1 % external*
- *tacrolimus ointment 0.03 % external*
- *tacrolimus ointment 0.1 % external*

## Details

---

<b>Criteria</b>	Claim will pay automatically for Eucrisa, pimecrolimus or tacrolimus external if enrollee has a paid claim for at least a 1 day supply of any formulary topical corticosteroid in the past 365 days. Otherwise, Eucrisa, pimecrolimus or tacrolimus external requires a step therapy exception request indicating: (1) history of inadequate treatment response with any formulary topical corticosteroid, OR (2) history of adverse event with any formulary topical corticosteroid, OR (3) any formulary topical corticosteroid is contraindicated.
-----------------	---



# UCERIS

---

## Products Affected

### Step 2:

- *budesonide er tablet extended release 24 hour 9 mg oral*
- UCERIS FOAM 2 MG/ACT RECTAL

## Details

---

Criteria	
	Claim will pay automatically for Budesonide ER 9mg or Uceris Rectal Foam if enrollee has a paid claim for at least a 1 day supply of any formulary corticosteroid used to treat ulcerative colitis in the past 365 days. Otherwise, Budesonide ER 9mg or Uceris Rectal Foam requires a step therapy exception request indicating: (1) history of inadequate treatment response with any formulary corticosteroid used to treat ulcerative colitis, OR (2) history of adverse event with any formulary corticosteroid used to treat ulcerative colitis, OR (3) any formulary corticosteroid used to treat ulcerative colitis is contraindicated.

---

# VANCOMYCIN ORAL

---

## Products Affected

### Step 2:

- *vancomycin hcl capsule 125 mg oral*
- *vancomycin hcl capsule 250 mg oral*

## Details

---

<b>Criteria</b>	Claim will pay automatically for Vancomycin Oral Caps if enrollee has a paid claim for at least a 1 day supply of Firvanq in the past 180 days. Otherwise, Vancomycin Oral Caps requires a step therapy exception request indicating: (1) history of inadequate treatment response with Firvanq, OR (2) history of adverse event with Firvanq, OR (3) Firvanq is contraindicated, OR (4) Patient is not a candidate for treatment with Firvanq.
-----------------	---

---

# ZYFLO

---

## Products Affected

### Step 2:

- *zileuton er tablet extended release 12 hour* • ZYFLO TABLET 600 MG ORAL  
*600 mg oral*

## Details

---

<b>Criteria</b>	Claim will pay automatically for Zyflo CR or zileuton if enrollee has a paid claim for at least a 1 day supply of montelukast or zafirlukast in the past 365 days. Otherwise, Zyflo CR or zileuton require a step therapy exception request indicating: (1) history of inadequate treatment response with montelukast or zafirlukast, OR (2) history of adverse event with montelukast or zafirlukast, OR (3) montelukast or zafirlukast is contraindicated.
-----------------	--

---

## Alphabetical Listing

### A

ABILIFY MAINTENA PREFILLED  
 SYRINGE 300 MG INTRAMUSCULAR  
 ..... 1, 2  
 ABILIFY MAINTENA PREFILLED  
 SYRINGE 400 MG INTRAMUSCULAR  
 ..... 1, 2  
 ABILIFY MAINTENA SUSPENSION  
 RECONSTITUTED ER 300 MG  
 INTRAMUSCULAR ..... 1, 2  
 ABILIFY MAINTENA SUSPENSION  
 RECONSTITUTED ER 400 MG  
 INTRAMUSCULAR ..... 1, 2  
 ABILIFY MYCITE TABLET 10 MG  
 ORAL..... 1, 2  
 ABILIFY MYCITE TABLET 15 MG  
 ORAL..... 1, 2  
 ABILIFY MYCITE TABLET 2 MG ORAL  
 ..... 1, 2  
 ABILIFY MYCITE TABLET 20 MG  
 ORAL..... 1, 2  
 ABILIFY MYCITE TABLET 30 MG  
 ORAL..... 1, 2  
 ABILIFY MYCITE TABLET 5 MG ORAL  
 ..... 1, 2

### B

budesonide er tablet extended release 24  
 hour 9 mg oral ..... 9

### C

CAPLYTA CAPSULE 42 MG ORAL... 1, 2  
 CONDYLOX GEL 0.5 % EXTERNAL..... 3

### D

DIFICID TABLET 200 MG ORAL ..... 5  
 dihydroergotamine mesylate solution 4  
 mg/ml nasal..... 4

### E

EUCRISA OINTMENT 2 % EXTERNAL 8

### F

FANAPT TABLET 1 MG ORAL ..... 1, 2  
 FANAPT TABLET 10 MG ORAL ..... 1, 2  
 FANAPT TABLET 12 MG ORAL ..... 1, 2  
 FANAPT TABLET 2 MG ORAL ..... 1, 2  
 FANAPT TABLET 4 MG ORAL ..... 1, 2  
 FANAPT TABLET 6 MG ORAL ..... 1, 2

FANAPT TABLET 8 MG ORAL ..... 1, 2  
 FANAPT TITRATION PACK TABLET 1  
 & 2 & 4 & 6 MG ORAL..... 1, 2

### I

INVEGA SUSTENNA SUSPENSION  
 PREFILLED SYRINGE 117  
 MG/0.75ML INTRAMUSCULAR .... 1, 2  
 INVEGA SUSTENNA SUSPENSION  
 PREFILLED SYRINGE 156 MG/ML  
 INTRAMUSCULAR ..... 1, 2  
 INVEGA SUSTENNA SUSPENSION  
 PREFILLED SYRINGE 234 MG/1.5ML  
 INTRAMUSCULAR ..... 1, 2  
 INVEGA SUSTENNA SUSPENSION  
 PREFILLED SYRINGE 39 MG/0.25ML  
 INTRAMUSCULAR ..... 1, 2  
 INVEGA SUSTENNA SUSPENSION  
 PREFILLED SYRINGE 78 MG/0.5ML  
 INTRAMUSCULAR ..... 1, 2  
 INVEGA TRINZA SUSPENSION  
 PREFILLED SYRINGE 273  
 MG/0.875ML INTRAMUSCULAR... 1, 2  
 INVEGA TRINZA SUSPENSION  
 PREFILLED SYRINGE 410  
 MG/1.315ML INTRAMUSCULAR... 1, 2  
 INVEGA TRINZA SUSPENSION  
 PREFILLED SYRINGE 546  
 MG/1.75ML INTRAMUSCULAR .... 1, 2  
 INVEGA TRINZA SUSPENSION  
 PREFILLED SYRINGE 819  
 MG/2.625ML INTRAMUSCULAR... 1, 2

### L

LATUDA TABLET 120 MG ORAL ..... 1, 2  
 LATUDA TABLET 20 MG ORAL ..... 1, 2  
 LATUDA TABLET 40 MG ORAL ..... 1, 2  
 LATUDA TABLET 60 MG ORAL ..... 1, 2  
 LATUDA TABLET 80 MG ORAL ..... 1, 2

### N

NEUPRO PATCH 24 HOUR 1 MG/24HR  
 TRANSDERMAL..... 6  
 NEUPRO PATCH 24 HOUR 2 MG/24HR  
 TRANSDERMAL..... 6  
 NEUPRO PATCH 24 HOUR 3 MG/24HR  
 TRANSDERMAL..... 6

NEUPRO PATCH 24 HOUR 4 MG/24HR  
 TRANSDERMAL..... 6  
 NEUPRO PATCH 24 HOUR 6 MG/24HR  
 TRANSDERMAL..... 6  
 NEUPRO PATCH 24 HOUR 8 MG/24HR  
 TRANSDERMAL..... 6  
 NUPLAZID CAPSULE 34 MG ORAL . 1, 2  
 NUPLAZID TABLET 10 MG ORAL.... 1, 2  
**P**  
 PERSERIS PREFILLED SYRINGE 120  
 MG SUBCUTANEOUS ..... 1, 2  
 PERSERIS PREFILLED SYRINGE 90 MG  
 SUBCUTANEOUS..... 1, 2  
 pimecrolimus cream 1 % external..... 8  
**R**  
 REXULTI TABLET 0.25 MG ORAL.... 1, 2  
 REXULTI TABLET 0.5 MG ORAL..... 1, 2  
 REXULTI TABLET 1 MG ORAL..... 1, 2  
 REXULTI TABLET 2 MG ORAL..... 1, 2  
 REXULTI TABLET 3 MG ORAL..... 1, 2  
 REXULTI TABLET 4 MG ORAL..... 1, 2  
 RISPERDAL CONSTA SUSPENSION  
 RECONSTITUTED ER 12.5 MG  
 INTRAMUSCULAR ..... 2  
 RISPERDAL CONSTA SUSPENSION  
 RECONSTITUTED ER 25 MG  
 INTRAMUSCULAR ..... 2  
 RISPERDAL CONSTA SUSPENSION  
 RECONSTITUTED ER 37.5 MG  
 INTRAMUSCULAR ..... 2  
 RISPERDAL CONSTA SUSPENSION  
 RECONSTITUTED ER 50 MG  
 INTRAMUSCULAR ..... 2  
 RYTARY CAPSULE EXTENDED  
 RELEASE 23.75-95 MG ORAL ..... 7  
 RYTARY CAPSULE EXTENDED  
 RELEASE 36.25-145 MG ORAL ..... 7  
 RYTARY CAPSULE EXTENDED  
 RELEASE 48.75-195 MG ORAL ..... 7

RYTARY CAPSULE EXTENDED  
 RELEASE 61.25-245 MG ORAL ..... 7  
**S**  
 SAPHRIS TABLET SUBLINGUAL 10 MG  
 SUBLINGUAL..... 2  
 SAPHRIS TABLET SUBLINGUAL 2.5  
 MG SUBLINGUAL..... 2  
 SAPHRIS TABLET SUBLINGUAL 5 MG  
 SUBLINGUAL..... 2  
 SECUADO PATCH 24 HOUR 3.8  
 MG/24HR TRANSDERMAL ..... 2  
 SECUADO PATCH 24 HOUR 5.7  
 MG/24HR TRANSDERMAL ..... 2  
 SECUADO PATCH 24 HOUR 7.6  
 MG/24HR TRANSDERMAL ..... 2  
**T**  
 tacrolimus ointment 0.03 % external ..... 8  
 tacrolimus ointment 0.1 % external ..... 8  
**U**  
 UCERIS FOAM 2 MG/ACT RECTAL..... 9  
**V**  
 vancomycin hcl capsule 125 mg oral..... 10  
 vancomycin hcl capsule 250 mg oral..... 10  
 VERSACLOZ SUSPENSION 50 MG/ML  
 ORAL..... 2  
 VRAYLAR CAPSULE 1.5 MG ORAL ..... 2  
 VRAYLAR CAPSULE 3 MG ORAL ..... 2  
 VRAYLAR CAPSULE 4.5 MG ORAL ..... 2  
 VRAYLAR CAPSULE 6 MG ORAL ..... 2  
 VRAYLAR CAPSULE THERAPY PACK  
 1.5 & 3 MG ORAL ..... 2  
**Z**  
 zileuton er tablet extended release 12 hour  
 600 mg oral ..... 11  
 ZYFLO TABLET 600 MG ORAL..... 11  
 ZYPREXA RELPREVV SUSPENSION  
 RECONSTITUTED 210 MG  
 INTRAMUSCULAR ..... 2